

PRODUCT OVERVIEW

# Accuratus BB15 - 15 Key Programmable Rugged KDS Kitchen Bump Bar Keypad - USB

Accuratus • SKU KYB500-BB15F



## Accuratus BB15 - 15 Key Programmable Rugged KDS Kitchen Bump Bar Keypad - USB

SKU KYB500-BB15F  
Brand Accuratus  
Stock In stock

PRICING

Sign in to view pricing.

### Product Gallery

Additional product images



Image 2 • gallery

## Key Features

Important highlights of this product

- USB interface
- Fully programmable 15 key solution that supports firmware upgrades
- Spill proof design with sealed holes, water drainage hole at the bottom of the unit.
- High quality and durable, Polycarbonate and PBT housing.
- Integrated 75mm VESA mounting pattern on the rear, allowing the unit to be easily mounted
- Cable has 15Kg strain relief preventing the cable from being pulled out of the keypad.
- Power Supply: +5V/DC ±5%.
- Input: <100mA.
- MTBF: 50,000 hours
- Total mechanical travel: 3.6mm.
- EAN 13 Barcode No. 5060756095281
- White/Brown box environmentally friendly packaging

## Description

Extended product overview

Accuratus BB15 - 15 Key Programmable Rugged KDS Kitchen Bump Bar - USB The Accuratus 15 key bump bar is designed to seamlessly integrate with your kitchen interface, making sorting through orders easier than ever. Program the bar using our Matrix Maker software to meet your specifications, then use the intuitive design to sort through orders quickly and easily, without having to touch screens and other equipment where grease and dirt can build up. The bump bar can be customised on special request with your own legends, interfaces, and logos to create a bump bar tailored to you and your needs. The cable has 15Kg strain relief, preventing the cable from being pulled out of the keypad. Keypad Features and Specifications • USB interface • Fully programmable 15 key solution that supports firmware upgrades • Spill proof design with sealed holes, water drainage hole at the bottom of the unit. • High quality and durable, Polycarbonate and PBT housing. • Integrated 75mm VESA mounting pattern on the rear, allowing the unit to be easily mounted • Cable has 15Kg strain relief preventing the cable from being pulled out of the keypad. • Power Supply: +5V/DC ±5%. • Input: <100mA. • MTBF: 50,000 hours • Total mechanical travel: 3.6mm. • EAN 13 Barcode No. 5060756095281 • White/Brown box environmentally friendly packaging • OEM builds also available dependant on MOQ, we can fully customise this bump bar with different key legends, logos or colours. We can also offer special programming and customised firmware for specific uses. Physical Specifications • Dimensions: 157 x 102 x 35 mm (l x w x h) Approvals & Compatibilities