



Hisense C2 PRO Smart Mini Triple Laser Projector

SKU	C2 Pro
Brand	Hisense
Stock	In stock

PRICING

Sign in to view pricing.

Description

Extended product overview

65"-300" Super Wide Projection Size Up to 300-inch Movie Screen The C2 Ultra offers consumers a huge projection range from 65" to 300", so no matter the size of your space, you'll enjoy the perfect picture. IMAX Enhanced Certified grand-slam quality Be transported through the screen. With support for IMAX Enhanced and Dolby Vision®, the C2 Pro delivers stunning colour expression, crisp images, and enhanced contrast for unparalleled detail. Appreciate cinema just as the filmmakers intended. Sound by JBL, DTS Virtual:X Dive completely into powerful, room-filling sound With a built-in JBL speaker and DTS Virtual:X, the premium audio engages viewers in sound as dynamic as the on-screen action. Plus, a dedicated subwoofer enhances the overall audio balance by delivering powerful bass, adding to the realism and immersion of the viewing experience. Optical Zoom Zoom in! Zoom out! Super Optical Zoom enhances performance like never before. Precise focal shift with 1.67x flexible zoom and a super-wide throw ratio (0.9~1.5:1) delivers a larger screen from a shorter distance. This ensures every frame retains its brightness and clarity, always 4K lossless with no distortion. Pure Triple Colour Laser Enjoy vivid, lifelike colours Experience extremely precise and accurate colours with the innovative design of the MCL38 Laser. With 28 laser chips, each powerful enough to match up to 4 LEDs, the result is superior depth and subtlety. 2600 Lumens Brightness Never lose the detail View your content with 2600 lumens of brightness, showcasing deep shadows and bright highlights. Experience vibrant, detailed images for a compelling viewing experience. Gimbal Design Project beyond boundaries: Walls, Ground, and Ceiling Calibrate your projector to your ideal viewing angle with a gimbal that can swing the machine 360° horizontally and 135° vertically. It's a breeze to project movies onto both a screen and the ceiling. Game Mode Every action is "wow"-level clear Play hyper-fast, intensive games without dealing with blurry images or system stutters. Go on, this is your chance to go head-to-head with no lag.

.spec-table { width: 100%; border-collapse: collapse; font-family: Arial, sans-serif; } .spec-table th, .spec-table td { border: 1px solid #ddd; padding: 10px; text-align: left; vertical-align: top; } .spec-table th { background-color: #f4f4f4; font-weight: bold; font-size: 1.1em; } .spec-table tr:nth-child(even) { background-color: #f9f9f9; } .spec-table td:first-child { font-weight: 600; width: 30%; }

General information Model name: C2TUK-Pro Screen model mark: HSN Series: C2-Pro Type: Smart mini projector Cabinet material: Plastic Panel performance Panel aspect ratio: 16:9 Throw Ratio: 0.9 Resolution max.: 4K Ultra HD 3840x2160 Wide colour gamut: Yes Frequency: 50 Hz, 60 Hz Contrast: 2000:1 3D technology: No HDR technology: HDR HDR10+ HLG technology: Dolby technology: Yes Improving engines Upscaling Ultra HD: Yes Input lag in game mode: d 60 ms 3D digital comb filter: Yes MPEG noise reduction: Yes Mosquito noise reduction: Yes Sound Sound output power: 2x10 W Sound technology: DTS Virtual X DTS HD User equalizer: Yes Dolby Atmos system: No Convenience Media player: Video Picture Audio User interface: VIDAA U7 Internet Important apps: Netflix YouTube Prime Video Disney+ FIFA+ Screen sharing: Yes Content sharing: DMP/DMR Airplay 2 support: Yes Reception and TV features Digital and analog tuner: No Parental control: No PVR function: No Time shift: No Connectivity Common interface (CI+): No HDMI1 connector: HDMI2.1/eARC, ALLM HDMI2 connector: HDMI2.1 Number of USB (3.0) connectors: 2 Number of S/PDIF outputs: 1 Number of headphone outputs: 1 Number of Ethernet RJ45 ports: 1 WiFi technology: IEEE 802.11 a/b/g/n/ac-2.4G,5G Bluetooth: Yes Light sensor: No Eco and power supply Voltage: 120-240 V Power consumption in standby mode: 0.5 W Power consumption in off mode: 0.5 W Power consumption in working mode max.: 180 W DMP formats Supported video formats: HEVC AVC MPEG WMV Supported audio formats: WMV MPEG WMA FLAC AAC OPUS Supported picture formats: JPEG BMP PNG GIF Weight and dimensions Gross weight: 8.4 kg Net weight: 5.7 kg Product position at packing: Horizontal Width of the packed product: 402 mm Height of the packed product: 373 mm Depth of the packed product: 346 mm Width of the console: 247 mm Height of the console: 247 mm Depth of the console: 254 mm Cable management: No Product code: 20015328 EAN code: 6942351409474

Business supplies • Product datasheet

Generated automatically from live product data. Pricing and availability may change. This datasheet is valid for 7 days from the date of generation.

Graystone